

1/24 - 1/32 SLOT CARS & ACCESSORIES

2018 NEW RELEASES

PRESS EDITION

American 7R









Ready Painted Bodies 24h Daytona 2015 #3 24h Daytona 2015 #4



	Reference	Chassis	Magnet	Sponge Tyres	Hubs	Ball Bearing	Motor	Motor Size	Guide	Ratio
24h Daytona 2015 #3 Winner	SC-7075HS	HS124	~		Plastic				SC-1621	
24h Daytona 2015 #4	SC-7076HS	ПЗ 124		U	Flasiic	^		_	30-1021	
24h Daytona 2015 #3 Winner	SC-7075R			•			SC-26	-		12/44
24h Daytona 2015 #4	SC-7076R	SC-8003 GT3	×		Aluminum	~		Long Can	SC-1639	
White racing car kit *	SC-7100RC			~						

^{*}Supplied not assembled

Scaleauto 1/24 scale cars can be run on all international (analog) slot racing system in 1/24 scale.





All HS124 cars have prepared chassis that allows fit of all popular decoders for racing on different digital operating systems.



LB GT3











NEW







All HS124 cars have prepared chassis that allows fit of all popular decoders for racing on different digital operating systems.

	Reference	Chassis	Magnet	Sponge Tyres	Hubs	Ball Bearing	Motor	Motor Size	Guide	Ratio
24h Spa 2016 #63	SC-7077HS	HS124	~	~	Plastic	×			SC-1621	
24h Spa 2016 #63	SC-7077R	CC 0002 CT2		^	Alumainum		SC-26	-	00.4620	12/44
White racing car kit *	SC-7101RC	SC-8003 GT3	*	~	Aluminum			Long Can	SC-1639	

^{*}Supplied not assembled

Scaleauto 1/24 scale cars can be run on all international (analog) slot racing system in 1/24 scale.

Ready Painted Bodies SC-7077B 24h Spa 2016 #63

LMS GT3 2016
















24h Nürburgring 2015 #1







	Reference	Chassis	Magnet	Sponge Tyres	Hubs	Ball Bearing	Motor	Motor Size	Guide	Ratio
24h Nürburgring 2015 #1	SC-7078HS	HS124	.,		Plastic	v			SC-1621	
24h Nürburgring 2015 #28	SC-7067HS	ПО 124		×	Flasiic	^			30-1021	
24h Nürburgring 2015 #1	SC-7078R			^			SC-26			12/44
24h Nürburgring 2015 #28	SC-7067R	SC-8003 GT3	×		Aluminum	~		Long Can	SC-1639	
White racing car kit *	SC-7102RC			~						

	Ready Painted Bodies								
SC-7078B 24h Nürburgring 2015 #1									
SC-7067B	24h Nürburgring 2015 #28								



All HS124 cars have prepared chassis that allows fit of all popular decoders for racing on different digital operating systems.

^{*}Supplied not assembled



Porsche 991 RSR

















Ready Painted Bodies
SC-7048B 24h LM 2013 #92 Winner
SC-7050B 24h LM 2013 #91
SC-7070B 24h LM 2015 #911
SC-7071B 24h LM 2015 #912





	Reference	Chassis	Magnet	Sponge Tyres	HUB	Ball Bearing	Motor	Motor Size	Guide	Ratio	
24h LM 2015 #91	SC-7090HS	HS124	.,		Plastic	.,			SC-1621		
24h LM 2015 #92	SC-7091HS	ПЗ 124		v	Flasiic			_	30-1021		
24h LM 2015 #91	SC-7090R		×	^			SC-26	1		12/44	
24h LM 2015 #92	SC-7091R	SC-8003 GT3		×		Aluminum	×		Long Can	SC-1639	
White racing car kit *	SC-7047RC			~							





Technical Specifications

- 1. New Plastic modular chassis.
- 2. Adjustable front axle heightt.
- 3. Easy body mounting system.
- 4. Additional body post for third party plastic bodies.
- 5. Long Can motor mount. Screw fixed.
- 6. Optional suspension system.
- 7. Precut chassis to allow more or less flexible option.
- 8. Direct Scalextric SSD. Slot.it Oxigen or Carrera digital chip installation.*
- 9. Upgradable to complete metal SC-8003 GT3 chassis.
- 10. Use same body metal mounts as professional.
- 11. Standard with 2 magnets.
- 12. Fully adjustable wheelbase.
- 13. Bronze bushing replaceable with ball bearing option.
- 14. Universal post.

Length:

111 mm

Wide:

55 mm

Axle suport width:

45 mm

Wheelbase: 96 - 112 mm

*Carrera, BRM, slot.it Oxigen, Scalextric SSD, are brand names used for consumer information only and that brands belongs to their respective trade mark owners.

Optional 3rd brands body fixings

Universal HS124 body mounting set for BRM classic 917k.

Universal HS124 body mounting set for BRM classic 512M.

Universal HS124 body mounting set for BRM 962c.

Universal HS124 body mounting set for BRM Toyota 88c.

Universal HS124 body mounting set for BRM Sauber C9.

Complete HS124 Chassis Kit.

Complete HS124 suspension system.





Motor mounts 12º





American 7R













All HS cars can be fitted with all popular decoders for racing on different digital operating systems.

	Reference	Motor	Motor Size	ze Magnet Chassis	Lightweight	Gear	Pinions	Front		Rear		
	Reference	IVIOLOI	Motor Size	iviagnet	CHASSIS	interior	Geal	PIIIIOIIS	ø Tyre	Hub	ø Tyre	Hub
24h Daytona 2015 #3	SC-6160	SC-08b	Sidewinder	er	H S		32 tooth	12 tooth	18 x 9	17,5 x 9	19 x 10,5	17,5 x 10
24h Daytona 2015 #4	SC-6161	00 000	S-Can		1-		02 1000.		Standard	Plastic	Standard	Plastic
24h Daytona 2015 #3	SC-6160R		Anglewinder	~		×						
24h Daytona 2015 #4	SC-6161R	SC-11b			R		27 tooth	11 tooth		17,5 x 9 Plastic	19 x 10,5 Standard	
White body racing car kit *	SC-6152		Long Can									

American 7R










	Reference	Motor	Motor Size	Magnet	Chassis	Lightweight	Gear	Pinions	Fro	ont	R	ear
	Reference	IVIOLOI	IVIOLOI SIZE	ŭ	Chassis	interior	Geal	FILIOLIS	ø Туге	Hub	ø Tyre	Hub
Cup Editions	SC-6179		Anglewinder		_				18 x 9	17.5 v 0	19 x 10,5	17.5 x 10
White body racing car kit *	SC-6152	SC-11b	Long Can	~	R	×	27 tooth	11 tooth	Standard	Plastic	Standard	Aluminum

*Supplied not assembled



24h Nürburgring 2015 #4



	Reference	Motor	Motor Size	Magnet	Chassis	Lightweight	Gear	Pinions	Front		Rear	
	Reference	MOTOL	WIOLOT SIZE	Magnet	CHASSIS	interior	Geal	FILIOUS	ø Tyre	Hub	ø Tyre	Hub
24h Nürburgring 2015 #28	SC-6163							40.45.46				17,5 x 10 Plastic 17,5 x 10 Aluminum
24h Nürburgring 2015 #29	SC-6172	00.00	Sidewinder		HS		32 tooth		Standard	17,5 x 9	Standard	
24h Nürburgring 2015 #1	SC-6173	SC-08b	S-Can		I			12 tooth				
24h Nürburgring 2015 #4	SC-6174				R	x						
24h Nürburgring 2015 #28	SC-6163R			V				11 tooth				
24h Nürburgring 2015 #29	SC-6172R		Anglewinder									
24h Nürburgring 2015 #1	SC-6173R	SC-11b										
24h Nürburgring 2015 #4	SC-6174R		Long Can									
White body racing car kit *	SC-6162											




LMS GT3 2016











All HS cars can be fitted with all popular decoders for racing on different digital operating systems.

	Reference	Motor	Motor Size	, and the second	Chassis	Lightweight interior	Gear	Pinions	Front		Rear	
	Reference	IVIOLOI	MOTOL 2176		Chassis				ø Tyre	Hub	ø Tyre	Hub
Cup Editions	SC-6180	00.441	Anglewinder				07.4	44.1	18 x 9	17,5 x 9	19 x 10,5	17,5 x 10
White body racing car kit *	SC-6162	SC-11b	Long Can		~~	X	27 tooth	11 tooth	Standard	Plastic	Standard	Aluminum

^{*}Supplied not assembled



V12 LMR











	Reference	Motor	Motor Size	Magnet	Chassis	Lightweight interior	Gear	Pinion
24h Sebring 1999 #42	SC-6210		Sidewinder		RB	×	32 tooth	
White Racing Car Kit	SC-6211	SC-08b	S-Can	.,	-4/-		02 100111	12 tooth
V12 24h Le Mans 1999 #17	SC-6175RS		Sidewinder		RS		27 tooth	12 (00(11
White Racing car kit	SC-6201A	SC-25b	Short Can				27 tooth	

Deference	Fro	nt	Rear		
Reference	ø Туге	Hub	ø Tyre	Hub	
SC-6210	18 x 9	17,5 x 9	19 x 10,5	17,5 x 10	
SC-6211	Standard	Plastic	Standard	Plastic	
SC-6175RS	18 x 9	17,5 x 9	19 x 10,5	17,5 x 10	
SC-6201A	Standard	Plastic	Standard	Aluminum	
	SC-6211 SC-6175RS	Reference ø Tyre SC-6210 18 x 9 SC-6211 Standard SC-6175RS 18 x 9 Standard Standard	SC-6210 18 x 9 17,5 x 9 Standard Plastic SC-6175RS 18 x 9 17,5 x 9 Charderd Plastic	Reference	

^{*}Supplied not assembled







	Reference	Motor	Motor Size	Magnet	Chassis	Lightweight interior	Gear	Pinions
24h Le Mans 2007 #54	SC-6176R	SC-11b	Anglewinder		<u>R</u> 2	v	27 tooth	12 tooth
White Racing car kit	SC-6202A	3C-110	Long Can		R5		27 (00(1)	12 (00(11

Fro	ont	Rear				
ø Tyre	Hub	ø Tyre	Hub			
18 x 9 Standard	17,5 x 9 Plastic	19 x 10,5 Standard	17,5 x 10 Aluminum			



P208 T16









All HS cars can be fitted with all popular decoders for racing on different digital operating systems.



Rally Acropolis 2014 Winner





	Reference	Motor	Motor Size	Magnet	Chassis	Gear	Pinion	Lightweight interior
Acropolis 2014 Winner	SC-6118		Sidewinder		HS		12 tooth	
WRX Istanbul 2014	SC-6159	SC-08		V		32 tooth		×
Rally Ypres 2013	SC-6181							
Acropolis 2014 Winner	SC-6118R					27 tooth	11 tooth	
WRX Istanbul 2014	SC-6159R		Anglewinder		_			
Rally Ypres 2013	SC-6181R	SC-27b	7b Long Can		R			~
Cup Editions	SC-6178				4wD			
White Racing car kit *	SC-6149		Ŭ					

Chassis	FIG	mu	K	ear	
Clidssis	ø Tyre	Hub	ø Tyre	Hub	
H 5	18 x 9	17,5 x 9	19 x 10,5	17,5 x 10	
	Standard	Plastic	Standard	Plastic	
R	18 x 9	17,5 x 9	19 x 10,5	17,5 x 10	
	Standard	Plastic	Standard	Aluminum	

^{*}Supplied not assembled Scaleauto 1/32 scale cars can be run on all international (analog) slot racing system in 1/32 and 1/24 scale.



P208 T16













	Reference	Motor	Motor Size	Magnet	Chassis	Gear	Pinion	Lightweight interior
Cup Editions	SC-6178	SC-27b	Anglewinder	V	R	27 tooth	11 tooth	
White Racing car kit *	SC-6149	30-270	Long Can		4WD	27 100111	TT tOOUT	

^{*}Supplied not assembled

De Tomaso Pantera Gr.4



All HS cars can be fitted with all popular decoders for racing on different digital operating systems.

De Tomaso Pantera Gr.5



Hub 17.5 x 10

17,5 x 9 19 x 10,5





Brands Hatch 1977 #17









Chassis	Fro	nt	R	ear
CHassis	ø Tyre	Hub	ø Tyre	Hub
HS	18 x 9	17,5 x 9	19 x 10,5	17,5 x 10
	Standard	Plastic	Standard	Plastic
R	18 x 9		19 x 10,5	17,5 x 10
	Standard		Standard	Aluminum

	Reference	Motor	Motor Size	Magnet	Chassis	Lightweight interior	Gears	Pinion
Le Mans 1975 #43	SC-6157	SC-08b	Sidewinder S-Can		K	×	32 tooth	12 tooth
Le Mans 1975 #43	SC-6157R		Anglewinder	~		,		
White body racing car kit *	SC-6170	SC-11b	Long Can		R	~	27 tooth	11 tooth

*Supplied	not assembled
-----------	---------------

	Reference	Motor	Motor Size	Magnet	Chassis	interior	Gears	Pinion
Brands Hatch 1977 #17	SC-6158	SC-08b	Sidewinder S-Can		HS	×	32 tooth	12 tooth
Brands Hatch 1977 #17	SC-6158R	00.445	Anglewinder	~	D		074	44.4
White body racing car kit *	SC-6171	SC-11b	Long Can		R		27 tooth	11 tooth

^{*}Supplied not assembled

Scaleauto 1/32 scale cars can be run on all international (analog) slot racing system in 1/32 and 1/24 scale.

Scaleauto 1/32 scale cars can be run on all international (analog) slot racing system in 1/32 and 1/24 scale.

Porsche Carrera RS / RSR 3.0

RS Historical Racing Colors #709





RSR 3.0 Nürburgring 1000km 1975 #54







									TO SHOW THE PARTY OF THE PARTY				
	Reference	Motor	or Motor Size	Magnet	Magnet Chassis	Lightweight	Gear	Pinion	Front		R	Rear	
	Reference	IVIOLOI	WOLUI SIZE	Motor Size Magnet Ci		interior		FILIOII	ø Tyre	Hub	ø Tyre	Hub	
RSR 3.0 LeMans 1975 #58	SC-6121		Sidewinder 8 S-Can		H S		32 tooth	12 tooth	18 x 9 Standard	17,5 x 9 Plastic	19 x 10,5 Standard		
RSR 3.0 Nürburbring 1000Km #54	SC-6122	SC-08				5 x						17,5 x 10 Plastic	
RS Historical colors #709	SC-6123												
RSR 3.0 LeMans 1975 #58	SC-6121R		Anglewinder C-11b Long Can			,							
RSR 3.0 Nürburbring 1000Km #54	SC-6122R				R	?							
RS historical colors #709	SC-6123R	SC-11b					tooth 11 tooth	18 x 9 17,5 x 9 Standard Plastic		17,5 x 10 Aluminum			
RS White Racing car kit	SC-6203			Long Can									
RS 3.0 White Racing car kit	SC-6204												



All HS cars can be fitted with all popular decoders for racing on different digital operating systems.

Range Rover

Paris Dakar 1987 #198 / #199



Fı	ront	Rear				
ø Tyre	Hub	ø Tyre	Hub			
24,5 x 10 Standard	16 x 8,5 Plastic	24,5 x 10 Standard	16 x 8,5 Plastic			

	Reference	Motor	Motor Size	Magnet	Chassis	Lightweight interior
Paris Dakar 1987 #198 / #199	SC-6099	CC 00h	Sidewinder			J
Paris Dakar 1988 #208	SC-6109	SC-08b	S-Can		4wD	^

Porsche 911 SC





*Resine Body: Special low productions runs, hand cast PU resine bodies are used and individually hand build with personalized paint and decals.


Front		Rear		
ø Туге	Hub	ø Tyre	Hub	
22 x 7 Standard	16 x 7 Plastic	22 x 7 Aluminum	16 x 7 Plastic	

	Reference	Motor	Motor Size	Magnet	Lightweight interior
Paris Dakar 1988 #220 / 221	SC-6086	SC-18b	In-line Slim Can	V	×
Paris Dakar 1984 #175 / 176 / 177	SC-6087				



Professional Fluids





Tyre Track Traction



NEW

SCALEAUT

ONDITION

IDO ANTIDERRAPANTE A PISTAS DE MADERA

FT GRIP

Track Grip

spray

Conditioner.

(Soft) 400 ml.

Track Grip

Spray

Conditioner.

(Hard) 400 ml.







NEW









BASIC - 3 MULTIPURPOSE CONTROLLER

DS-3503b

DS-3503c

DS-3503d

DS-3503e

- Long lasting cooper contact, with 18 sections
- Complete assembled controller, ready to use.
- Operating voltage is between 10 and 20 DC volts.
- Usefull for 1 or 2 finger driver style.
- "DS Type Ergonomic Handle" provides comfortable use for extended play times.
- 2 selectable spring tension.
- Superflex internal wire.
- 2m long wire.
- Wire bending protection.
- 4 new handle colors.

Four different resistance types

DS-3503b **55 Ω**

DS-3503c **45 Ω**

DS-3503d **35 Ω**

DS-3503e **25 Ω**

Available in different translucent vibrant colours







DS-IST SYSTEM

New universal track system control for slot tracks system, to Bring the Fun into the Racing.

Expandable interface that allow a easy installation in a race that allows an easy track or a multilink connection between several tracks at the same time to run them all.

Each ISt Box (master or slave) is connected to another one by a simple RJ45 ethernet connector and using Class5 ethernet wiring.

Each individual sensor can be programmed thought software to be used for lap counting, speed trap or split timing.

Easy and simple installation, only a small hole is required for the system installation, a hole next to the track lane of 7x3mm is needed

Full DS-IST v4 Software for race management and live streaming available to register and download from the new DS site humidity and temperature sensors integration.

Expandable Slave box up to 128 sensors.

Full Smartphone and table real race time intregration available.

Complete new website www.ds-racingproducts.com for full parts list of the range and software registration


















SCALEAUTO Modular Slot Car Racing Pro Track System

This all NEW complete plastic track system for home or club use is the most important news on the hobby market since digital slot car racing was introduced. Not only because it has been based on a complete new design from scratch, with input from many individual experience customers, but also because this is what the market has demanded for a long time. This is a complete new track system giving a professional choice that is not a toy.

We are really enthusiastic about our development achievements which have given us full autonomy over the designs. We are able to produce a FULL PACKAGE of components enabling us to promote and develop our brand in all markets around the world.

The main features of our new track system are:

- 10 cm between lanes: the largest available.
- Allows 1/32 and 1/24 cars.
- · Solid structure, rigid plastic. Avoids cracking and noise.
- Perfect joints with spot welded spring steel connections to minimize power loss between sections.
- Easy to connect snap together joints.
- Up to 6 different corner radius. Unique in the market
- High grip surface to ensure a perfect grip for all kinds of rubber or sponge tyres.
- Fully compatible with existing 9.99cm lane distance German track.
- · Compatible with all existing digital systems

Development Stages:

- Stage 1: Summer time 2018
 Will include tracks to allow up to 6 lane systems R2+R3+R4 with inner and outer extensions and walls.
- Stage 2: Christmas time 2018
 More track sections will be released to enable up to 8 lane systems adding R1 and R5 with inner and outer extensions.
- Stage 3: Summer time 2019
 Will see the addition of the R6 curve and special digital straight lane changing piece.



