10th EDITION

## SCALEXTRIC

**MODEL MOTOR RACING** 







### SCALEXTRIC IS REAL MOTOR RACING

Scalextric gives you the thrusting excitement of the real thing, puts YOU right there in the driver's seat.

The power is real, the scale is real, the thrills are real as you battle the banked bends, surge through the Goodwood chicane to take the chequered flag as you roar home down the straight. Feel the clench of real excitement as you miss the race-smashing threat of a blow-out by inches; feel the surge of pride as you take the trophy to the roar of the packed stands. Scalextric make everything you need to make motor racing a reality in your home.



## SPORTS 30 SET

- SKID CHICANE FOR THRILLS AND SPILLS TWO UP-TO-THE-MINUTE COMPETITION CARS
- 1 C/3 Javelin Special Competition Car

- 1 C/4 Electra Special Competition Car
- 8' 4" 254 cm of Track comprising:
- \* 8 Standard Curves \* 1 SKID CHICANE \* 8 Banking Plates
- \* 1 Starting Line Straight
- ★ 4 Crash Barriers ★ 2 Hand Throttles (A/265)

The Owner of a Scalextric Set has in his hands the starting point from which to build a really complete Model Motor Racing system. With regular additions of Track, Cars, Buildings, Figures and Accessories, any set will soon grow into a super 4, 6 or 8 lane layout with all the fabulous atmosphere of a full size Motor Racing Circuit.


(Power unit not included - see page











## SPORTS 31 SET

\*FIGURE-EIGHT LAYOUT FOR EQUAL LANE LENGTHS

\*TWO UP-TO-THE-MINUTE COMPETITION CARS

Set contains:

1 C/3 Javelin Special Competition Car 1 C/4 Electra Special Competition Car

12' 6", 381 cm of Track comprising: ★ 4 Standard Curves ★ 2 Inner Curves

★ 6 Crash Barriers ★ 12 Banking Plates ★ 2 Double Inner Curves ★ 1 Straight 'C' ★ 1 Starting Line Straight

\* 5 Straights 'D'

★ 4 Track Supports ★ 2 Hand Throttles (A/265)

With a Scalextric '31' Set you ha the basis of a really dramatic layer

The Figure-8 Circuit (5' 8" x 2' 2", 173 cm x 66 cm as illustrated) gives exciting equal racing and you can keep o adding track for greater interest and more thrills.

(Power unit not included - see page 2




★ 2 Track Borders









## TEAM 35 SET

### \* REALISTIC SCALEXTRIC TEAM CARS

### \*CHANGE-OVER TRACKS FOR EQUAL LANE

#### Set contains:

1 C/19 Chequered Flag Racing Car (white) 1 C/19 Chequered Flag Racing Car (yellow)

16' 0", 488 cm of Track comprising: ± 12 Standard Curves ± 3 Stra

- 1 Starting Line Straight
- ★ 6 Crash Barriers ★ 2 Hand Throttles (A/265)
- ★ 3 Straights 'D' ★ 2 Change-over Tracks
- ★ 10 Banking Plates

With this set you can develop all the skills of the ace drivers who handle the Scalextric/Chequered Flag Racing cars on the circuits of the world. Change-over tracks give equal lane lengths to your layout (7' 2" x 2' 11", 219 cm x 89 cm as illustrated).


(Power Unit not included - see page 20)











## RALLY 45 SET

★TWO EXCITING RALLY MINI-COOPERS ★ 90° CROSS-OVER FOR THRILLS AND EXCITEMENT \* FIGURE-EIGHT CIRCUIT TO GIVE EQUAL

LANE LENGTHS

#### Set contains:

C/7 Rally Mini-Cooper (Green) 1 C/7 Rally Mini-Cooper (Red)

15 2", 463 cm of Track comprising:

★ 12 Standard Curves
★ 1 Straight 'D'
★ 1 Right-Angle Crossing
★ 8 Banking Plates

★ 4 Straights 'C'

★ 1 Starting Line Straight

★ 8 Crash Barriers

★ 2 Hand Throttles (A/265)

Super Fast Rally Mini-Coopers with a 90° Cross-Over test your skill to the limit with the extra excitement of avoiding a crash at the crossing.


(Power Unit not included - see page 20











### GRAND PRIX 50 SET

- \* TWO EXCITING GRAND PRIX CARS
- \* FLY-OVER BRIDGE FOR EQUAL LANE LENGTHS

### Set contains:

1 C/5 Europa Vee Grand Prix Special 1 C/6 Panther Grand Prix Special

### 16' 8", 508 cm of track comprising:

- ★ 10 Standard Cur ★ 3 Straights 'C' ★ 5 Straights 'D' ★ 1 Starting Line
- ★ 1 Starting Line Straight ★ 1 Lap Counter
- ★ 10 Standard Curves ★ 2 Fly-over Bridge ★ 3 Straights 'C' Supports
  - ★ 6 Crash Barriers ★ 12 Banking Plates ★ 2 Hand Throttles (A/265)

These cars embody the fantastic Power Sledge for super speed and control. The automatic lap counter and Figure-8 Circuit (7 ° K" x 2 ° 6", 229 cm x 77 cm as illustrated) give exciting equal racing with all your concentration on driving.


(Power unit not included - see page 20)











## G.T. SPEED 69 SET

- \* BANKED CURVE FOR EXTRA SPEED
- \* TWO SUPERFAST NEW GT CARS
- \* CHANGE-OVER TRACKS FOR EQUAL RACING

#### Set contains:

1 C/15 Ford Mirage GT 1 C/16 Ferrari P4 GT

#### 20' 6", 625 cm of track comprising:

- ★ 7 Straights 'D'
- 2 Straights 'C'
- ★ 1 Starting Line Straight

- ★ 6 Standard Curves
  ★ 4 Speed Banking Curves
  ★ 1 Pair Banking Approach Pieces
- ★ 4 Banking Supports ★ 2 Change-Over Tracks
- \* 8 Crash Barriers
- ★ 14 Banking Plates
- ★ 2 Hand Throttles (A/265)

(Power Unit not included - see page 20)

The 45° banking and the special lead-in straight sections give a smooth, progressive banked curve. These enable you to corner at really tremendous speeds and give extra thrills to your circuit.

















\* TWO HIGH SPEED BANKED CORNERS \* FLY-OVER FOR EQUAL LANE LENGTHS

#### Set contains:

1 C/5 Europa Vee Grand Prix Special 1 C/6 Panther Grand Prix Special

G.P. SPEED 12E SET

### 23' 0", 702 cm of Track comprising:

- ★ 10 Banked Curves
- ★ 4 Banking Approach Pieces ★ 2 Straights 'A'
- ★ 1 Straight 'C'
- ★ 1 Straight 'C'

  ★ 10 Straights 'D'

  ★ 1 Starting Line Straight

  ★ 2 Standard Curves

  ★ 11 Banking Supports

  ★ 12 Crash Barriers

  ★ 8 Banking Plates

  ★ 2 Hand Throttles (A/265)

Extra speed needs extra skill. Fly-over layout gives equal racing (10' 0" x 4' 3", 305 cm x 130 cm as illustrated).

(Power Unit not included - see page 20)











## GRAND PRIX 75 SET

★ TWO FAST NEW G.P. CARS ★ CHANGE-OVER TRACKS

\* PIT STOP SET

\* SKID CHICANE

\* LAP COUNTER \* FLY-OVER BRIDGE

#### Set contains:

1 C/8 Lotus G.P. car 1 C/9 Ferrari G.P. car 32' 6", 991 cm of Track comprising:

★ 10 Standard Curves

★ 10 Standard Curves
★ 1 Straight 'A'
★ 7 Straight 'D'
★ 2 Change-Over Tracks
★ 1 Lap Counter
★ 2 Bridge Supports
★ 22 Banking Plates

★ 2 Hand Throttles (A/265)

★ 12 Outer Curves ★ 3 Straight 'C' ★ 1 Starting line Straight ★ 1 Pit stop Ser see page 20) ★ 1 Pit stop Set ★ 1 Skid Chicane ★ 14 Crash Barriers

The fabulous '75' set

in a compact space

extras.

gives you a long layout

(8' 10" x 4' 0", 269 cm x

120 cm as illustrated). It

includes lots of realistic


(Power Unit not included -











## GRAND PRIX 80 SET

- FOUR LANES
- FOUR HAND THROTTLES
- FOUR CARS WITH SUPER FAST POWER SLEDGE MOTOR UNITS
- ALTERNATIVE LARGE TWO LANE CIRCUITS

**4 Lane Layouts** 

2 C/5 Europa Vee G.P. Cars

2 C/6 Panther Special G.P. Cars

29' 0" (884 cm) of track (two lane) including:

★ 8 Standard Curves
★ 16 Cuter Curves
★ 10 Straight 'D'
★ 2 Starting Line Straights
★ 10 Crash Barriers

★ 15 Banking Plates
★ 36 Lane Clips
★ 4 Hand Throttles (A/265)
★ 2 Power Boost Connectors


Four lane Racing with the very latest Scalextric Cars brings super excitement to all the family.

Power units not included, TWO 12 volt D.C. 2.5 amp units are recommended for this set.











### SCALEXTRIC G.P. Models

- \* RACE-TUNED FOR SUPER SPEED
- \* FORWARD MOUNTED GUIDE FLAG
- \* SOFT, HIGH-GRIP TYRES
- \* RAPID ACCELERATION
- \* PERFECT BRAKING POWER
- \* SUPERB ROAD HOLDING

To operate these high powered models, use only the Scalextric Race-Tuned Hand Controllers (Cat No A/270 and A/262) or the Hand Throttle (Cat No A/265).

To add variety and interest to your stable of cars the colours shown may, from time to time, be changed.




## SCALEXTRIC Power Sledge

### A/266

- \* FANTASTIC ACCELERATION
- \* TREMENDOUS SPEED
- \* SUPERB BRAKING
- \* EXCELLENT ROAD HOLDING
- ★ DIE CAST METAL GEARBOX
- \* FORWARD SLEDGE WEIGHT
- \* CONSTANT ELECTRICAL CONTACT
- \* LOW CENTRE OF GRAVITY
- \* THREE POINT CONTACT

The Power Sledge is a complete chassis unit which rides the track on the two rear wheels and the forward guide flag. The body is fixed to the Power Sledge only by the back axle. ensuring perfect weight distribution and a very low centre of gravity.







### SCALEXTRIC

### **G.T.Models**

The superb range of Scalextric GT cars, including several brand new models, is specially designed to give variety and excitement to your racing. Every car has a Race-Tuned motor for maximum speed and control. For these models use only the Scalextric Race-Tuned Hand Controllers (Cat No A/270 and A/262) or the Hand Throttle (A/265)



## SCALEXTRIC

### **Special Models**

You can add a new dimension to Scalextric racing with these two realistic motor cycle combinations. The Rally Mini-Cooper can give you all the thrills of authentic rally racing when you use special track sections to build a rally circuit, and for even more variety the Fiat 600 is an exciting saloon racer. The colours given may be changed from time to time for even more variety.





### Race-Tuned Hand Controller

A/270

### THE HEAVY DUTY HAND CONTROLLER FOR THE ENTHUSIAST

- \* Built-in dynamic brake
- \* 25 ohm ceramic resistor fitted
- \* 15 ohm resistor included as spare
- \* Sensitive low pressure spring
- \* Special features prevent overheating





### **Hand Throttle**

A/265 A Hand Throttle giving precision control of all Scalextric 1/32nd scale models. Special features include

- \* Built-in dynamic brake
- \* 35 ohm resistor
- \* Balanced Pistol Grip
- \* Thumb or Finger Tip Control

### Race Track

Scalextric Track is made of tough flexible plastic with a perfect surface for high speed racing. It is designed for 2, 4, 6 or 8 lane layouts, and there are no loose accessories needed. Scalextric Track is easy to assemble, with connectors built into each section and there are no special track or side projections. Power can be connected to any Straight 'D'.

PT/51 Standard Curve (45") PT/52 Inner Curve (45°) PT/53 Outer Curve (221") PT/54 Half Standard Curve (221) PT/55 Half Inner Curve (22) Double Inner Curve (90°) PT/56 PT/57 Straight 'A' 34, 7 8 cm long PT/58 Straight 'B' 374", 8:7 cm long PT/59 Straight 'C' 6 ", 17 - 5 cm long PT/60 Straight 'D' 131", 35 cm long PT/63 Starting Line Straight 13 F", 35 cm long PT/82 Change-Over Track (2 required) 131". 35 cm long PT/83 Right-Angle Crossing 91", 22-9 cm long PT/84 Large Radius Curve (221")

#### TRACK BORDERS

T/39 Outer Curve — Outer
T/40 Outer Curve — Inner
T/41 Standard Curve — Outer
T/42 Standard Curve — Inner
T/43 Inner Curve — Outer
T/44 Inner Curve — Inner
T/45 Streight "C" Border

A/214 Track Cleaner

### **Banked Track**

The Standard Curve Banked Track enables you to build a really high speed corner into your Scalextric layout. The 45° Banking and the special lead-in Straight Sections — give you a smooth, progressive camber allowing tremendous speeds and thrilling racing.

#### SPEED BANKING SET

PT/97 Contents:


- 4 Banked Standard Curves
- 4 Variable Banking Supports
- 2 Banking Approach Pieces


PT/98 Banked Curve and Variable Banking Support PT/99 Banking Approach Pleass 31/8", 8-7 cm long (Set of two)


long (Set of two)
PT/100 Variable Banking Support

Fully Adjustable for height and angle
















### SCALEXTRIC Bridges

The Scalextric system allows you to make circuits of many different kinds. Bridges are available to cross one track over another whenever you want extra interest in your layout or where space is limited.

### PT/68 FLY-OVER BRIDGE

Comprises:

1 straight 'D' 2 crash barriers 2 straights 'C' 2 bridge supports Overall track length 27‡", 70 cm.

#### PT/70 BRIDGE-SUPPORTS ONLY

(2 per set)

These can be used to make a fly-over bridge with your existing track.

#### A/248 HUMP BACK BRIDGE

This is a complete bridge as a single unit to add extra excitement and realism to your Scalextric circuit. The parapets can be simply clipped on to the side of the track without the use of any loose accessories. Length 13," 35 cm.

You can make fly-overs for four lane circuits with two PT/68 fly-over bridges. Six and eight lane flyovers can be built using banking units and trusses, A/217 and A/218 (see page 24).

### Chicanes

Chicanes add extra excitement and thrills to your Scalextric layout and call for even more skill in driving.

#### PT/74 SHORT CHICANE SET

2 pieces to same length as two straights 'D'. 27\f'', 70 cm. long

#### PT/75 CHICANE STRAIGHT

13‡", 35 cm long (centre piece only)

#### PT/76 LONG CHICANE SET

3 pieces to same length as three straights 'D'. 41‡", 105 cm long

### PT/77 GOODWOOD CHICANE

Made up of: 2 converging tracks, 1 straight 'G' offset, 2 curved tracks, 3 black borders, 1 Goodwood Wall, 2 half tyre markers, 12 marker cone, 12 straw beles, 6 hurdles. Overall length 48½", 122.5 cm (same length as 3 straights 'D' plus 1 straight 'C'). Two Goodwood Chicanes make an excellent 4 lane chicane.

#### PT/78 SKID CHICANE

Special skid pan surface to give you the thrill of controlling a skidding car at speed. Length 13?", 35 cm.

#### PT/85 STANDARD CURVE CHICANE (45°)


You can use this to give you the extra excitement of a long chicane on a band – several may be joined together – in conjunction with the Short Chicane Set (PT/74). It can also continue a straight chicane into a corner with the Long Chicane Set (PT/76).



### SCALEXTRIC Lap Counter

Cat No. A/259  $6\frac{\pi}{4}$ , 17.5 cm long. Every time a car passes, the Scalextric Lap Counter records it. It counts up to 15 laps for 2 cars on a 2 lane circuit and has a simple 're-set to zero' device.

The Lap Counter is made in bright red for easy identification. So it is simple to check how many circuits each car has completed. There are no side projections, so that 2, 3, or 4 Lap Counters can be used along side each other on 4, 6 and 8 lane circuits.



### Electric Lap Recorder

Cat No. A/260

This precision Electric Lap Recorder A/260 can be built into any Scalextric circuit. It has an ingenious electro mechanical action and records up to 999 laps. Each lane can be simply re-set to zero at any time. Extra sets can be added for 4, 6 or 8 lane racing. Overall track length 13 \( \frac{3}{2} \)", 35 cm, as straight 'D',

### SPECIAL FEATURES:

- \* Two Recorder Units
- \* Special Track, no moving parts
  - Electrical action
- Clip together unit design
- Duplicate numbers to identify track and recording units
- \* Quick re-set manual control
- \* Records up to 999 laps

### Pit Stop set and Paddock

Make an even more realistic layout with these exciting Scalextric extras.


### PIT STOP SET PT/90

Manually operated

Comprises 1 "W" Turnout 1 "Y" Turnout 1 "S" Lay-By

1 "T" Lay-By

(Cable control units are NOT included in this set)



Scalextric Pit Stop Track sections are available separately to allow you to make true to life pit stops for large multi-lane racing. Operation is simple and the Turnouts may be used in either direction.

PT/91 "W" Turnout

PT/92 "X" Crossing

PT/93 "Y" Turnout

PT/94 "Z" Crossing

"S" & "T" Lay-By PT/95

You can build Pit Stops for 2, 4, 6 or 8 lane racing. The ways to make up 2, 4 and 6 lane circuits are illustrated, and for 8 lane racing the large 6 lane layout can be extended one stage further. Alternatively you can build two 4 lane Pit Stops on opposite sides of the track to conserve space.

#### PIT STOP CABLE CONTROL SET PT/96

Set of four cable Hand Controls to operate entry and exit turnouts on Pit Stop Set. (These are not included in the PT/90 set or the individual Turnouts 'W' and 'Y').


### PADDOCK A/251

This can be used with PT/91 Turnout 'W' on 2 lane circuits. For 4, 6 or 8 lane circuits PT/92 Crossing 'X' is also required. Electric switches enable parked cars to be left in the Paddock while other cars are using the circuit. It is an ideal accessory for use with Hill Climb Layouts. (See page 20.)
















### Dragster Turn and Hill Climb

The illustration shows a simple Hill Climb circuit, and for extra realism you can add Scalextric Turnouts and Paddocks (see page 19) behind the Starting Line to park cars awaiting their turn.

An excellent Dragster Strip can be made using two sets, one at either end of any number of Standard Straight Track Sections. Turnouts and Paddocks should be added behind the starting line for parking and marshalling cars.


Whether this turn set is used with a Hill Climb or a Dragster Strip, it enables cars to turn and be driven back to the Pit Stop or Paddock without any handling.

### Blow-Out

#### Cat No. A/258

Extra thrills, extra excitement and a real test of skill — all these can be yours with this fabulous Scalextric Blow-Out Unit. Drive your car, watch your opponent. PRESS — BLOW-OUT — HE'S CRASHED! Open your throttle and away to win this fantastic race.

The Scalextric Blow-Out Unit A/258 consists of a specially made track section 134". 35 cm long (same length as straight 'D') and two simple hand controls. These controls operate sprung flaps set in the special track section and act instantly when the button is pressed. If released at the right time just as your opponent's front wheel drives onto the flap a puncture will be simulated and his car will roll off the circuit in a most realistic manner.






### Power Boost Connectors

Cat No. A/252

On large layouts it is advisable to have extra Power Boosts at points on the track some distance from the hand throttles to counteract any voltage drop.

The A/252 is a simple unit and it should be fitted as illustrated with one end plugged into the track near the hand throttle connections and the other end on the opposite side of the layout. Take care to cross-connect not only the same lane but also the same rail, otherwise a short circuit will occur which can be corrected by reversing one Power Boost Plug.

# A/252



### **Power unit**

Scalextric Sets require a Transformer/Rectifier with an output of 12 volts D.C. at NOT LESS THAN 2.5 AMPS. It should incorporate an AUTOMATIC OVERLOAD CUT-OUT. Full instructions are given with each set for connecting your Scalextric Circuit to the Transformer. No form of speed control is required in addition to the Hand Throttles which are included in all sets. SETS DO NOT INCLUDE A POWER UNIT. Your Scalextric Stockist will be only too pleased to give you full advice concerning the recommended unit.

### Flying Leap

A/269

Super excitement from Scalextric, Flying Leap takes you flashing across a break in the roadway - needs extra skill and judgement. Do it successfully and land safely on the other side of the gap - and zoom away. One mistake - and you're on a crash course - right out of the race. Even though special embossed track sections help to quide the car into the slot when it lands on the other side, only the Scalextric cham-pions win through. The Flying Leap is suitable for all Scalextric existing cars with the exception of C/99, Fiat 600.




Overall length 617", 157.8 cm comprising:


2 special straights

2 lead-in track sections 8 crash barriers

Broken Bridge unit

A/269 Overall Length 61 2", 157-8 cm





## High Hump Bridge

#### PT/101

With this new High Hump Bridge you have even more super excitement on your Scalextric circuit. Try it for yourself. When you've mastered it in one position move it to a different part of the track. And then keep on moving it - the fun never stops. Your friends will love all the excitement that the NEW High Hump Bridge brings - and so will you.

Overall length 41 11, 105 cm comprising:

1 concave track section

1 convex track section

1 straight 'D'

1 straight 'A' 3 supports

8 crash barriers

### Buildings and accessories

The fabulous range of Scalextric Buildings, Figures, and Accessories really puts realism and life into your circuit.

A/201 EVENT BOARD AND HUT with Car names and numbers

A/202 RACING PIT (with flags) (Pit Accessories and Car name boards are separate items, (see page 24).

A/203 OWNER'S STAND AND PIT with set of flags and numbers.

A/204 OIL DRUM OBSTACLES

A/205 STRAW BALE OBSTACLES
A/208 CONTROL TOWER with flags

A/209 GRANDSTAND WITH FLAGS

(see page 24 for 'paint them yourself' Grandstand Figures)

A/211 FIRST AID HUT with flags.
A/212 START/FINISH BANNER
includes sheet of decorative flags.

A/216 TWIN LOUD SPEAKERS \*A/225 PALING SECTION WITH FLAGPOLE

A/226 GATE UNIT

\*both these items are free standing. They interlock with one another and also with A/232 Entrance Building.

A/228 REFRESHMENT KIOSK complete with equipment and flags.

A/233 ENTRANCE BUILDING provided with fittings for use with palings

if required.

A/237 HURDLES

black or white.
A/238 TIME-KEEPER'S HUT

A/238 TIME-KEEPER'S HUT with battery operated count-down hooter. (Battery required Ever Ready H.P.2.).

A/246 CRASH BARRIER Flexible, 13‡", 35 cm long.

A/255 MARKER CONES

F/300 TRACK OFFICIALS AND PIT CREW SET

complete with set of Track Flags.


F/301 SPECTATORS AND PRESS PHOTOGRAPHER


F/302 T.V. CAMERA AND CREW SET F/303 STARTER ON ROSTRUM

Flag arm drops to start a race.

F/304 MECHANICS AND DRIVERS

F/305 VENDORS AND SPECTATORS





### SCALEXTRIC **Figures**

Beautifully modelled groups of figures that can be hand painted in an unlimited variety of colours. They add colour and realism to your layout when used to populate your Grandstand (see pages 22/23) and your Spectators' Stand (see below).

F 306A FIVE SEATED FIGURES F 306B FIVE SEATED FIGURES

### **Banking Units**

Multiple Units for 4, 6, and 8 lane tracks. These can be used to make fly-overs of any size. Just join together the required number of Banking Trusses (A/218) and after assembly support at both ends with Banking Units (A/217).


Banking on large circuits is achieved in the same way, but only one end of the assembled banking trusses should be supported.


A/217 BANKING UNIT Comprises 1 Truss, 1 slide, 1 Rod. A/218 BANKING TRUSS A/219 BANKING TOE CLIP

to fix Banking Units permanently to a baseboard.









### **Building Kits**

Create the tremendous atmosphere of tense excitement which always exists at meetings on your favourite full size full racing circuit. As your layout and stable of cars gets bigger and better, capture this atmosphere for yourself with the fabulous range of Scalextric Trackside Buildings, Accessories and Figures.

With these superb scale model Trackside Buildings you can add extra fun and realism to your racing circuit. They are simple to assemble and give a wonderful effect when used in conjunction with Scalextric Scale Figures (see pages 22/23).

K/701 RACING PIT K/702 OWNER'S STAND AND RACING PIT

K/703 CONTROL CENTRE

Size: base 104" × 84" (27 × 22 cm) Height, to base of flagpole, 104" (27 cm) K/704 MARSHAL'S HUT

K/705 SPECTATORS' STAND

Populate this stand with "Paint-them-yourself" figures F/306A and B (see above)









## SCALEXTRIC

### Accessories

Put the finishing touches to your Scalextric layout with authentic signs, pit accessories, and decorative flags. Complete and realistic it will be the envy of all your friends.

### A/206 CAR NAME BOARDS

for Scalextric Pits. Supplied plain with separate named labels.

A/207 PIT NUMBER BOARDS

A/213 TRACK SIGNS,

set of five

### A/223 PIT ACCESSORIES SET 1 Jack, 1 Tool Box, 1 Vice, 1 Fuel Can, 1 Funcel, 2 Small Tyres, 2 Large Tyres, 1 Fuel Pump, 1 Hammer, Use in conjunction with scale figures F/304 (see pages 22/23) to bring

life to your Scalextric Pits.

A/227 HALF TYRE MARKER A/235 SHEET OF OFFICIAL

INTERNATIONAL SIGNAL AND STARTING FLAGS

A/236 SHEET OF DECORATIVE FLAGS, PIT NUMBERS AND CAR NUMBERS

A/247 LANE CLIP

Use as shown to join tracks in 4, 6 and 8 lane racing circuits.

A/263 RACING TROPHIES

Real scale models of authentic awards.

A/264 STANDARD BANKING PLATE,

provides banking up to 1½" (4 cm) high A/267 LARGE BANKING PLATE,

provides banking up to 2%" (6 cm) high.

C/505 SCALEXTRIC BROOCH.

Enamel badge for all Scalextric enthusiasts.

### c/507 101 CIRCUITS

A wonderful publication for Scalextric enthusiasts. It includes detailed plans for 101 different Scalextric layouts and gives an infinite variety of ideas for new exciting circuits. It shows how to build replicas of many world famous Grand Prix Circuits, and includes all the details you need of size and what track sections to use for each.





The Set Extension Pack HP/1 gives you a bigger circuit and greater realism. In conjunction with the '30', '31', '45' and '50' sets (also 1967 '40' and '65' sets and 1968 '60' set) it can give you more exciting racing and a circuit that will be the envy of all your friends.

#### Contents:

- 1 Hump Back Bridge
- 2 Change-Over Tracks
- 2 Straights 'B'
- Start/Finish Banner
- 1 Starter on Rostrum
- 2 Paling Sections with Flagpoles Gate Unit
- 6 Hurdles
- 1 Pit Accessories Set
  - Track Officials & Pit Crew Set
- Vendors and Spectators Set 1 Sheet Official Flags
- 1 Sheet Decorative Flags



HP/2 brings glamour and excitement to you Scalextric layouts

### Contents:

- 1 Start/Finish Banner
- 6 Crash Barriers
- 12 Straw Bale Obstacles 12 Oil Drum Obstacles
- 3 Track Borders (Straight 'C')
  - Pit Accessories Set
  - Sheet Official Flags Sheet Decorative Flags
- 1 Track Cleaner

## Special accessory

HP/3 is tailor made to decorate your Scalextric layout in a dramatic way.

#### Contents:

- 1 Set of Track Signs
- 2 Twin Loud Speakers
- 1 Pit Accessories Set
- 3 Paling Sections with Flagpoles
- 1 Gate Unit
- 6 Hurdles
- 4 Crash Barriers
- Mechanics and Drivers Set Sheet Decorative Flags
- 1 Racing Trophies Set
- 1 Scalextric Enamel Brooch







If you're a club man, Scalextric Super 124 is just what you've been waiting for. Your club circuit gives you a chance to show what you can do with these extra fast cars. Their dynamic acceleration and superb braking put you in full command. Now more than ever, winning is a test of your skill. Scalextric Super 124 is a complete

system. The precision track brings out the best performance in really fast cars. It's easy to assemble, perfect electrically, and the stainless steel rails will not corrode or deteriorate. When your club circuit is next altered, make sure you install Scalextric Super 1241



\* TWO SUPER G.T. CARS

\* THREE LANES FOR EXTRA EXCITEMENT

#### Set contains

1 24C/100 Alfa Romeo GT

1 24C/101 'E' Type Jaguar GT 17' 0", 518 cm of three lane track comprising

★ 10 Standard Straights ★ 12 Inner Curves ★ 12 Inner Curve Inner Borders ★ 12 Inner Curve Outer Borders ★ 4 pairs Flat Border Ends

★ 14 Crash Barriers ★ 2 Hand Controllers ★ 44 Track Securing Clips


The Super 124 Set 200 gives you an exciting three lane circuit that can easily be built up to six lanes with extra track. With each set you get two cars, so that on the three lane circuit you can vary the racing by running the cars in different lanes. The slight variations in bends on each lane will make interesting differences in the

(see page 31)











### \* TWO FAST GT CARS \* FIGURE-EIGHT LAYOUT FOR EQUAL LANE LENGTHS

#### Set contains

1 24C/100 Alfa Romeo GT

1 24C/101 'E' Type Jaguar GT

28' 0", 853 cm of three lane track comprising

★ 10 Standard Straights ★ 8 Standard Curves ★ 8 Inner Curves ★ 2 Flyover Bases ★ 2 Flyover Summits ★ 8 Inner Curve Inner Borders

★ 8 Inner Curve Outer Borders ★ 8 Standard Curve Inner Borders ★ 8 Standard Curve Outer Borders ★ 4 Standard Straight Borders ★ 2 Pairs Flat

Border Ends \* 2 Pairs Flyover Border Ends

★ 29 Crash Barriers ★ 2 Hand Controllers ★ 26 Pillar Supports †"

\* 4 Pillar Supports 11/16"

\* 8 Pillar Supports Top Section \* 60 Track Securing Clips


The exciting Figure-Eight layout (12' 3" x 6' 0", 373 cm x 183 cm as illustrated) gives you challenging equal racing. Two variety.

cars are provided, so if a friend brings his own car and controller he can race it on the third track, giving even more interest and

Power units not included (see page 31)











### **G.T.CARS**



GT 'E' TYPE JAGUAR 24C/101



GT ALFA ROMEO 24C/100

These GT cars are perfect scale models with several exciting features for extra speed and control. The forward mounted guide blade and high hysteresis tyres give fantastic road holding. Bevel gears allow efficient power transmission and together with precision-made axles and axle bearings ensure minimum wear and tear and friction loss.

### ACE G.T.CARS



ACE GT 'E' TYPE JAGUAR 24C/603



#### ACE GT ALFA ROMEO 24C/602

These have all the features of the GT car plus several Scalextric extras! The dynamic braking in the hand controller is re-inforced by special mechanical brakes on the front wheels. This means you can approach a bend at top speed and leave your braking to the last minute. These cars are also fitted with a high torque motor developing as much as 45,000 r.p.m. Just think what that means in terms of power and what a challenge to control!

### ACE G.P.CARS



ACE GP LOTUS INDIANAPOLIS 24C/500



#### ACE GP FERRARI V8 24C/501

Every detail in these cars is completely authentic, including a fully fitted cockpit and removeable driver. Each car has a die-cast chassis with all the running components in one complete unit giving extra solidity and strength which together with the heavy duty drop arm will resist damage even in the fastest crash. The front axle on the GP cars pivot, so that the front wheels adjust automatically to any change in camber giving better balance and greater stability.



### **Banked Track**

The new banked track sections build into a smooth parabolic curve with no irregularities, enabling you to corner at really fantastic speeds.

A banked curve, 24T/8 is equal in size to a standard curve, six are required to make a 180° curve. The rails are offset and the complete banked corner is joined to standard track sections by using an approach piece, 24T/9 at each end.



A banked corner made from 6 24T/8 and 1 pair



### Track and accessories

SUPER 124 TRACK (12", 30.5 cm wide)

A carefully designed track with special features for high speed racing and maximum excitement.

- \* Three-lane track sections.
- \* Extends to six lanes.
- \* Super tough plastic.
- \* Stainless steel rails.
- \* Even matt surface.
- \* Spin-out borders.
- ★ Hand throttle sockets in every straight.
- \* Perfect electrical continuity.

24T/1 Standard Straight (10.69", 27.15 cm long)

24T/3 Standard Curve (30°) 24T/4 Inner Curve (30°)

24T/7 Fly-over Bridge 2 Base Units. 2 Summit Units. 26 Pillars §", 1.27 cm. 4 Pillars 11/16", 1.75 cm. 8 Pillar Top Sections.

#### TRACK BORDERS

24B/50 Inner Curve - Inner

24B/51 Inner Curve - Outer 24B/52 Standard Curve - Inner

24B/53 Standard Curve - Outer

24B/54 Standard Straight

24B/55 Flat Border Ends (1 pair) 24B/56 Fly-Over Border Ends (1 pair)

### ACCESSORIES

24A/152 Pillar Supports §", 1.27 cm 24A/153 Pillar Supports 11/16", 1.75 cm 24A/154 Pillar Supports Top Section 24A/155 Track Securing Clip

24A/156 Power Boost Connectors (Set of three)

### SUPER 124 FIGURES

24F/400 Drivers (Set of three) 24F/401 Mechanics (Set of three)

### 24A/151 HAND CONTROLLER

\* BUILT-IN DYNAMIC BRAKE \* FITTED 25 OHM RESISTOR


\* SPARE 15 OHM RESISTOR

### Power unit

Ic get the best results from Scalextric Super 124 you need a separate power unit for each car. We recommend using power units with outputs of 12 volts D.C., 26 VA, at not less than 2.5 amps, and each should incorporate an AUTOMATIC THERMAL OVERLOAD CUT-OUT.









As with real racing cars your Scalextric Car may from time to time need servicing. Official Scalextric Service Dealers have been appointed throughout the country and they are fully equipped and qualified to effect rapid servicing and repairs to all Scalextric equipment. Scalextric Service Dealers also carry a comprehensive range of Spares for those enthusiasts who wish to carry out their own servicing.

Scalextric approved Service Dealers are provided with this Window Display Badge.

### CHECK WITH YOUR SCALEXTRIC DEALER FOR AVAILABILITY DATES OF NEW ITEMS

This catalogue illustrates and refers to a number of items which are the subject of Patent and Registered Designs in Great Britain and many other important countries throughout the world. Details of these are available from Minimodels Ltd., Havant, Hants.

Minimodels Limited reserve the right to alter designs and specifications without prior notice. This catalogue supersedes all previous editions.

MINIMODELS LIMITED, HAVANT, HANTS, ENGLAND

